




**CUSTOM  
KIT  
DESIGNS**

Custom Windows  
Kit Form Products  
are made from the  
Carinya Select Range.



The Carinya Classic Sliding Window is a unique combination of form and function not previously available in the residential category.



Exclusive handle located on the mullion for ease of access and cleaner lines. All can be made single or double glazed. In built weather flaps - a feature of all Carinya Windows - to reduce air and water infiltration, cover drain slots and minimise insect intrusion.

## Specifications


- Maximum Sash Height: 1500mm
- Maximum Sash Width: 1200mm
- Maximum Single Glazed Thickness: 10.5mm
- Maximum Double Glazed Thickness: 18mm
- Maximum Sash Weight: 40kg
- 92mm or 50mm frame

\*subject to site conditions


## Inclusions

Aluminium extrusions to make the window • Glazing rubbers to suit glass thickness required • Mohair for sashes • Components to fabricate the windows • Gaskets • Key lock with 1 key • Frame screws • Flat packed with clear wrap

**Configurations** Available in Commercial • Cyclonic • Double Glaze Options



The Carinya Classic Awning Window is a mainstay range featuring two frame widths and multiple sash options.



Besides a modern designer look, the Carinya Classic Awning Window is packed with a multitude of performance features, many of which are simply not available in competing products

## Specifications


- Maximum Sash Height: 2100mm
- Maximum Sash Width: 1200mm
- Maximum Glass Thickness: 10.5mm Single Glazed
- Maximum Glass Thickness: 18mm Double Glazed
- Maximum Sash Weight: 40kg
- Maximum Sash Area: 1.4m<sup>2</sup>
- 92mm or 50mm frame

\*subject to site conditions


## Inclusions

Aluminium extrusions to make the window • Glazing rubbers to suit glass thickness required • Glazing seals for sashes • Components to fabricate the windows • Gaskets • Doric DSI chainwinder • Frame screws • Flat packed with clear wrap

**Configurations** Available in Commercial • Cyclonic • Double Glaze Options



The Carinya Select Double Hung Window is a distinctive combination of design and durability not previously available in the residential category.



All Carinya double hung window sashes feature corner blocks in all four corners of the sashes. These blocks make the sash more rigid, reducing twist and movement. This reduction in movement increases the performance of the window by reducing opportunities for air, water and dust infiltration.

## Specifications


- Maximum Sash Height: 1090mm
- Maximum Sash Width: 1000mm
- Maximum Single Glazed Thickness: 10.5mm
- Maximum Double Glazed Thickness: 18mm
- Maximum Sash Weight: 20kg
- Option for fixed top or bottom
- 92mm frame

\*subject to site conditions


## Inclusions

Aluminium extrusions to make the window • Glazing rubbers to suit glass thickness required • Mohair for sashes • Components to fabricate the windows • Gaskets • Key lock with 1 key • Frame screws • Flat packed with clear wrap • Balance springs

### Configurations Available in Commercial • Double Glaze Options



The Carinya Classic Sliding Door is a product in the residential market having evolved to create a system to maximise openings in homes across Australia.



This commercial background means that besides a modern designer look, the Carinya Classic Sliding Door is packed with a multitude of performance features, many of which are simply not available in competing products.

## Specifications


- Maximum Panel Height: 2700mm
- Maximum Panel Width: 1500mm
- Maximum Single Glazed Thickness: 10.5mm
- Maximum Double Glazed Thickness: 18mm
- Maximum Sash Weight: 160kg
- 92mm frame or 150mm for stacker doors
- Screen tracks built into frame for all sliding doors

\*subject to site conditions

## Inclusions

Aluminium extrusions to make the door • Glazing rubbers to suit glass thickness required • Mohair for the sashes • Components to fabricate the doors • Gaskets • Doric DS2400 lock Inner D, Slim outer • 1 cylinder with 2 keys • Frame screws • Flat packed with clear wrap

### Configurations Available in Commercial • Cyclonic • Double Glaze Options



The Carinya Select Hinged Door is a premium product designed for those seeking superior functionality and style as a grand entry to their home.


Consisting of a modern designer look, the Carinya Hinged Door extrusions are a consistent 85mm wide face on both the stiles and rails, combined with a 40mm thick panel. This allows a balanced visual face and allows a vast array of hardware lock options. Combined with optional spigots, these door panels are superior in strength and performance.

## Specifications

- Maximum Panel Height: 2400mm
- Maximum Panel Width: 1200mm
- Maximum Single Glazed Thickness: 10.5mm
- Maximum Double Glazed Thickness: 24mm
- Maximum Panel Weight: 50kg
- 125mm or 92mm Frame


## Inclusions

- Aluminium extrusions to make the door • Glazing rubbers to suit glass thickness required • Mohair if required • Components to fabricate the doors Gaskets • Lockwood Killara 2 point lock • 1 cylinder with 2 keys • Frame screws • Flat packed with clear wrap • Flush bolts for double doors



## Configurations

Available in Commercial • Double Glaze Options



A premium solution for those seeking superior functionality and style in the alfresco area of their home.


For a modern designer look, the Carinya Bi Fold extrusions are a consistent 85mm wide face on both the stiles and rails. This allows a balanced visual face and allows a vast array of hardware lock options. Combined with commercial grade spigots, these door panels are superior in strength and performance.

## Specifications

- Maximum Panel Height: 2400mm
- Maximum Panel Width: 900mm
- Maximum Single Glazed Thickness: 10.5mm
- Maximum Double Glazed Thickness: 24mm
- Maximum Panel Weight: 60kg
- 92mm Frame
- Carinya Open Out Only
- Commercial Open In Options


## Inclusions

- Standard sill or no sill option for servery • Aluminium extrusions to make the door • Glazing rubbers to suit glass thickness required • Mohair if required • Components to fabricate the doors Gaskets • Lockwood Killara 4 point lock • 1 cylinder with 2 keys • Frame screws • Flat packed with clear wrap • Twin bolts



## Configurations

Available in Commercial • Double Glaze Options





CUSTOM  
**KIT**  
DESIGNS



**CUSTOM  
WINDOWS**  
ALUMINIUM WINDOWS & DOORS

### Showrooms

67 McDonald Cres, Bassendean WA 6054

Display 62, Homebase Subiaco,  
55 Salvado Rd, Subiaco WA 6008

For any more information on any of our products or services, please give us a call today to speak to a member of our team.

We look forward to hearing from you!

(08) **9279 7444**

[sales@customwindows.com.au](mailto:sales@customwindows.com.au)

[customwindows.com.au](http://customwindows.com.au)